

BEST AVAILABLE COPY**CLAIM LISTING**

1. (Currently amended) A packet based terminal device addressing system for enabling a calling party using a circuit based terminal device, which is addressable via a telephone number, to initiate a communication connection to a called party who is using a packet-based terminal device, which is addressable via an IP address, comprising:

means for storing data in a memory indicative of a correspondence between at least one IP address assigned to a called party's packet-based terminal device and a telephone number assigned to said called party's circuit-based terminal device;

means, responsive to a calling party, connected to the Public Telephone Switched Network via a Local Exchange Carrier serving said calling party, dialing the telephone number assigned to said circuit-based terminal device of said called party, for transmitting said telephone number to a Local Exchange Carrier serving said called party;

means, responsive to receipt of data from said calling party by said Local Exchange Carrier serving said called party and indicative of said called party's telephone number corresponding to said called party's circuit-based terminal device, for retrieving data from said memory indicative of said IP address assigned to a called party's packet-based terminal device, comprising:

means for providing said calling party with a list of said called party's circuit-based terminal devices and said called party's packet-based terminal devices,

means, responsive to said calling party selecting one of said called party's circuit-based terminal devices and said called party's packet-based terminal devices, for identifying a communication service serving said selected one of said called party's circuit-based terminal devices and said called party's packet-based terminal devices; and

means for extending a communication connection that exists from said calling party's circuit-based terminal device to said Local Exchange Carrier serving said called party, to said called party's packet-based terminal device.

Serial No. 09/659,363
Amendment And Remarks Responsive To
Final Office Action Mailed 09/09/05

Page 2 of 9
223801v1

2. (Previously presented) The packet based terminal device addressing system of claim 1 wherein said means for extending comprises:

means for transmitting said IP address assigned to said called party's packet-based terminal device to at least one packet-based communication service to locate said called party's packet-based terminal device.

3. (Previously presented) The packet based terminal device addressing system of claim 2 wherein said means for extending further comprises:

means, responsive to receipt of a message from one of said at least one packet-based communication services indicative of a presence of said called party's packet-based terminal device on said one of said at least one packet-based communication services, for extending a communication connection from said calling party's circuit-based terminal device to said one of said at least one packet-based communication services.

4. (Original) The packet based terminal device addressing system of claim 1 wherein said means for storing comprises:

means for storing a set of data comprising data indicative of an IP address assigned to each of a plurality of a called party's packet-based terminal devices.

5. (Original) The packet based terminal device addressing system of claim 4 wherein said means for retrieving comprises:

means for providing said calling party with a list of said called party's packet-based terminal devices; and

means, responsive to said calling party selecting a one of said called party's packet-based terminal devices, for identifying a packet-based communication service serving said called party's packet-based terminal device.

6. (Presently Amended) A method of operating a packet based terminal device addressing system for enabling a calling party using a circuit based terminal device,

Serial No. 09/659,363
Amendment And Remarks Responsive To
Final Office Action Mailed 09/09/05

Page 3 of 9
223801v1

which is addressable via a telephone number, to initiate a communication connection to a called party who is using a packet-based terminal device, which is addressable via an IP address, comprising the steps of:

storing data in a memory indicative of a correspondence between at least one IP address assigned to a called party's packet-based terminal device and a telephone number assigned to said called party's circuit-based terminal device;

transmitting, in response to a calling party, connected to the Public Telephone Switched Network via a Local Exchange Carrier serving said calling party, dialing the telephone number assigned to said circuit-based terminal device of said called party, said telephone number to a Local Exchange Carrier serving said called party;

retrieving, in response to receipt of data from said calling party by said Local Exchange Carrier serving said called party and indicative of said called party's telephone number corresponding to said called party's circuit-based terminal device, data from said memory indicative of said IP address assigned to a called party's packet-based terminal device, comprising:

providing said calling party with a list of said called party's circuit-based terminal devices and said called party's packet-based terminal devices,

identifying, in response to said calling party selecting one of said called party's circuit-based terminal devices and said called party's packet-based terminal devices, a communication service serving said selected one of said called party's circuit-based terminal devices and said called party's packet-based terminal devices; and

extending a communication connection that exists from said calling party's circuit-based terminal device to said Local Exchange Carrier serving said called party, to said called party's packet-based terminal device.

7. (Previously presented) The method of operating a packet based terminal device addressing system of claim 6 wherein said step of extending comprises:

transmitting said IP address assigned to said called party's packet-based terminal device to at least one packet-based communication service to locate said called party's packet-based terminal device.

8. (Previously presented) The method of operating a packet based terminal device addressing system of claim 7 wherein said step of extending further comprises:

extending, in response to receipt of a message from one of said at least one packet-based communication services indicative of a presence of said called party's packet-based terminal device on said one of said at least one packet-based communication services, a communication connection from said calling party's circuit-based terminal device to said one of said at least one packet-based communication services.

9. (Original) The method of operating a packet based terminal device addressing system of claim 6 wherein said step of storing in a memory comprises:

storing a set of data comprising data indicative of an IP address assigned to each of a plurality of a called party's packet-based terminal devices.

10. (Original) The method of operating a packet based terminal device addressing system of claim 9 wherein said step of retrieving comprises:

providing said calling party with a list of said called party's packet-based terminal devices; and

identifying, in response to said calling party selecting a one of said called party's packet-based terminal devices, a packet-based communication service serving said called party's packet-based terminal device.

11. (Currently amended) A packet based terminal device addressing system for enabling a calling party using a circuit based terminal device, which is addressable via a telephone number, to initiate a communication connection to a called

Serial No. 09/659,363
Amendment And Remarks Responsive To
Final Office Action Mailed 09/09/05

Page 5 of 9
223801v1

party who is using a packet-based terminal device, which is addressable via an IP address, comprising:

data storage means for storing data in a memory indicative of a correspondence between at least one IP address assigned to a called party's packet-based terminal device and a telephone number assigned to said called party's circuit-based terminal device;

call origination means, responsive to a calling party, connected to the Public Telephone Switched Network via a Local Exchange Carrier serving said calling party, dialing the telephone number assigned to said circuit-based terminal device of said called party, for transmitting said telephone number to a Local Exchange Carrier serving said called party;

terminal device location means, responsive to receipt of data from said calling party by said Local Exchange Carrier serving said called party and indicative of said called party's telephone number corresponding to said called party's circuit-based terminal device, for retrieving data from said memory indicative of said IP address assigned to a called party's packet-based terminal device, comprising:

destination selection means for providing said calling party with a list of said called party's circuit-based terminal devices and said called party's packet-based terminal devices,

call routing means, responsive to said calling party selecting one of said called party's circuit-based terminal devices and said called party's packet-based terminal devices, for identifying a communication service serving said selected one of said called party's circuit-based terminal devices and said called party's packet-based terminal devices; and

communication connection means for extending a communication connection that exists from said calling party's circuit-based terminal device to said Local Exchange Carrier serving said called party, to said called party's packet-based terminal device.

12. (Original) The packet based terminal device addressing system of claim 11 wherein said communication connection means comprises:

Serial No. 09/659,363
Amendment And Remarks Responsive To
Final Office Action Mailed 09/09/05
Page 6 of 9
223801v1

terminal device locator means for transmitting said IP address assigned to said called party's packet-based terminal device to at least one packet-based communication service to locate said called party's packet-based terminal device.

13. (Original) The packet based terminal device addressing system of claim 12 wherein said communication connection means further comprises:

inquiry response means, responsive to receipt of a message from one of said at least one packet-based communication services indicative of a presence of said called party's packet-based terminal device on said one of said at least one packet-based communication services, for extending a communication connection from said calling party's circuit-based terminal device to said one of said at least one packet-based communication services.

14. (Original) The packet based terminal device addressing system of claim 11 wherein said data storage means comprises:

directory means for storing a set of data comprising data indicative of an IP address assigned to each of a plurality of a called party's packet-based terminal devices.

15. (Original) The packet based terminal device addressing system of claim 14 wherein said terminal device location means comprises:

destination selection means for providing said calling party with a list of said called party's packet-based terminal devices; and

service identification means, responsive to said calling party selecting a one of said called party's packet-based terminal devices, for identifying a packet-based communication service serving said called party's packet-based terminal device.

Claims 16 – 18 (Canceled)

Serial No. 09/659,363
Amendment And Remarks Responsive To
Final Office Action Mailed 09/09/05
Page 7 of 9
223801v1

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.